

18


Tangents and Intersecting Chords

18.1 Introduction :

If a circle and a straight line are drawn in a plane; then with respect to each other, they may have one of the following three positions :


First position :

The line does not meet (cut) the circle.




Second position :

The line cuts the circle at two points.



Third position :

The line meets (touches) the circle at one point only.




The straight line which cuts a circle at two points is called the *secant of the circle*.

In the given figure, CD is a secant of the given circle.

The line which touches a circle at one point only is called the *tangent of the circle*.

In the given figure, EF is tangent to the given circle at point P of the circle.

The point at which a tangent touches the circle is called the *point of contact*.




Theorem 10

The tangent at any point of a circle and the radius through this point are perpendicular to each other.

Given : A circle with centre O. AB is a tangent to the circle at point P and OP is the radius of the circle.

To Prove : $OP \perp AB$.

Construction : Take a point Q (other than P) on the tangent AB. Join OQ.



Remember :

Out of all the line segments drawn from a given point to a given line; the perpendicular is the shortest.

Proof :

Statement

1. $OP < OQ$

Reason

Since, each point of the tangent, other than point P, is outside the circle.

2. Similarly, it can be shown that out of all the line-segments which would be drawn from point O to the tangent line AB; OP is the shortest.

3. $\therefore OP \perp AB$

The shortest line segment, drawn from a given point to a given line, is perpendicular to the line.

Hence Proved.

Remember :

1. No tangent can be drawn to a circle through a point inside the circle.
2. One and only one tangent can be drawn through a point on the circumference of the circle.
3. Only two tangents can be drawn to a circle through a point outside the circle.


Corollary : If two tangents are drawn to a circle from an exterior point (the point which lies outside the circle) :

- (i) the tangents are equal in length;
- (ii) the tangents subtend equal angles at the centre of the circle and
- (iii) the tangents are equally inclined to the line joining the point and the centre of the circle.

Given : A circle with centre O. PA and PB are two tangents drawn to this circle, from an exterior point P.

To Prove :

- (i) $PA = PB,$
- (ii) $\angle AOP = \angle BOP,$
- (iii) $\angle APO = \angle BPO.$



Proof :

Statement

In ΔAOP and ΔBOP ;

$OA = OB$

$\angle OAP = \angle OBP = 90^\circ$

$OP = OP$

$\therefore \Delta AOP \cong \Delta BOP$

- \therefore (i) $PA = PB$
 (ii) $\angle AOP = \angle BOP$
 (iii) $\angle APO = \angle BPO$ }

Reason

Radii of the same circle

Angle between the radius and the tangent is 90°

Common

by R.H.S.

Corresponding parts of congruent triangles are congruent.

Hence Proved.


Theorem 11

If two circles touch each other, the point of contact lies on the straight line through the centres.

Case I : When the given two circles touch each other externally.

Given : Two circles with centres A and B touching each other externally at point P.

To Prove : P lies on the line AB.



Construction : Through the point of contact P, draw a common tangent PQ. Join AP and BP.

Proof :

Statement

1. $\angle APQ = 90^\circ$
 2. $\angle BPQ = 90^\circ$
 3. $\angle APQ + \angle BPQ = 180^\circ$
- $\Rightarrow \angle APB = 180^\circ$
- \Rightarrow APB is a straight line
- \therefore P lies on the line AB.

Reason

- Angle between radius and tangent
- Angle between radius and tangent
- Adding (1) and (2).
- Straight line angle = 180°


Hence Proved.

Case II : When the given two circles touch each other internally.

Given : Two circles with centres A and B touching each other internally at point P.

To Prove : P lies on the line AB produced.

Construction : Through the point of contact P, draw a common tangent PQ. Join AP and BP.



Proof :

Statement

1. $\angle APQ = 90^\circ$
 2. $\angle BPQ = 90^\circ$
- \therefore AP and BP both are perpendicular to the tangent PQ at the same point P.
3. AP and BP lie in the same line.
- \Rightarrow ABP is a straight line.
- \therefore P lies on the line AB (when produced).

Reason

- Angle between the radius and the tangent
- Angle between the radius and the tangent
- From (1) and (2)
- Only one perpendicular can be drawn to a line through a point in it.

Hence Proved.

Remember :

1. If r_1 and r_2 be radii of two circles touching each other at a point and d be the distance between their centres then :
 - (i) $d = r_1 + r_2$ when circles touch each other *externally*,
 - (ii) $d = r_1 - r_2$ when circles touch each other *internally*,
i.e. $d = r_1 - r_2$ when r_1 is greater and $d = r_2 - r_1$ when r_2 is greater.
2. If AB and CD are tangents to the same circle at points P and Q such that AB is parallel to CD, then PQ is always the diameter of that circle.
3. Concentric circles means circles with the same centre.


1 In triangle PQR, PQ = 24 cm, QR = 7 cm and $\angle PQR = 90^\circ$. Find the radius of the inscribed circle. [2012]

Solution :

In ΔPQR , angle $PQR = 90^\circ$

$\Rightarrow PR^2 = PQ^2 + QR^2$

$= (24 \text{ cm})^2 + (7 \text{ cm})^2$ i.e. $PR = 25 \text{ cm}$



Let the given inscribed circle touches the sides of the given triangle at points A, B and C respectively as shown. Clearly, OAQB is a square and so

$$AQ = BQ = x \text{ cm,}$$

$$PA = PQ - AQ = (24 - x) \text{ cm and}$$

$$RB = QR - BQ = (7 - x) \text{ cm}$$

As tangents to a circle, from an exterior point are equal, $PC = PA = (24 - x) \text{ cm}$


$$\text{and } RC = RB = (7 - x) \text{ cm}$$

$$PR = PC + RC \Rightarrow 25 = (24 - x) + (7 - x)$$


$$\text{i.e. } 25 = 31 - 2x \quad \text{i.e. } 2x = 6 \quad \text{and } x = 3$$

$$\Rightarrow \text{Radius of the inscribed circle} = 3 \text{ cm.}$$

Ans.



- 2** A, B and C are three points on a circle. The tangent at C meets BA produced at T. Given that $\angle ATC = 36^\circ$ and that $\angle ACT = 48^\circ$, calculate the angle subtended by AB at the centre of the circle. [2001]



Solution :

Mark O, the centre of the circle. Join OA, OB and OC.

Since, the angle between the radius and the tangent is $90^\circ \Rightarrow \angle OCT = 90^\circ$

$$\therefore \angle OCA = 90^\circ - 48^\circ = 42^\circ$$

$$\text{And, } OA = OC \Rightarrow \angle OAC = \angle OCA = 42^\circ$$

In $\triangle ACT$, exterior angle $\angle CAB = 48^\circ + 36^\circ = 84^\circ$

$$\therefore \angle OAB = \angle CAB - \angle OAC = 84^\circ - 42^\circ = 42^\circ$$

$$\text{Also, } OA = OB \Rightarrow \angle OBA = \angle OAB = 42^\circ$$

$$\therefore \text{ In } \triangle OBA, \angle BOA = 180^\circ - \angle OAB - \angle OBA \\ = 180^\circ - 42^\circ - 42^\circ = 96^\circ$$

Ans.


- 3** P and Q are centres of circles with radii 9 cm and 2 cm respectively. $PQ = 17 \text{ cm}$. R is the centre of a circle of radius $x \text{ cm}$, which touches the above circles externally. Given that $\angle PRQ = 90^\circ$, write an equation in x and solve it. [2004]

Solution :

According to the given statement, the figure will be as shown alongside, in which $PQ = 17 \text{ cm}$ and angle $\angle PRQ = 90^\circ$.

We know when two circles touch each other externally, the distance between their centres is equal to the sum of their radii.

$$\therefore PR = (9 + x) \text{ cm and } QR = (2 + x) \text{ cm.}$$



Applying Pythagoras Theorem, we get :

$$PR^2 + QR^2 = PQ^2 \Rightarrow (9 + x)^2 + (2 + x)^2 = 17^2$$

$$\text{i.e. } 81 + 18x + x^2 + 4 + 4x + x^2 = 289$$

$$\Rightarrow 2x^2 + 22x - 204 = 0 \quad \text{i.e. } x^2 + 11x - 102 = 0$$


$$\Rightarrow x^2 + 17x - 6x - 102 = 0 \quad \text{i.e. } (x+17)(x-6) = 0$$

$$\Rightarrow x = -17 \text{ or } x = 6 \quad \text{i.e. } \quad \quad \quad x = 6 \quad \text{Ans.}$$

4 Two circles with radii 25 cm and 9 cm touch each other externally. Find the length of the direct common tangent.

Solution :


When a tangent, common to two given circles, is drawn in such a way that both the circles are on the same side of it, the tangent is called a **direct common tangent**.



In each of the figures, given above, AB and CD are two direct common tangents which are always equal in length *i.e.* in each case, $AB = CD$.

According to the given statement, the figure will be as shown alongside :

In the figure, A and B are the centres of the two circles touching each other externally at point O. Also, MN is the direct common tangent.



Draw $BC \perp AM$.

Clearly, BCMN is a rectangle and so $BC = MN$.

$$\text{Now, } AB = OA + OB = 25 \text{ cm} + 9 \text{ cm} = 34 \text{ cm}$$

$$AC = AM - BN = 25 \text{ cm} - 9 \text{ cm} = 16 \text{ cm}$$

In right-angled triangle ABC

$$AB^2 = AC^2 + BC^2 \Rightarrow 34^2 = 16^2 + BC^2$$

$$\Rightarrow BC^2 = 1156 - 256 = 900$$

$$\Rightarrow BC = 30$$

$$\therefore \text{Length of direct common tangent} = MN = BC$$

$$= 30 \text{ cm}$$


Ans.

5 The centres of two circles with radii 6 cm and 2 cm are 10 cm apart. Calculate the length of the transverse common tangent.

Solution :

When a tangent, common to two given circles, is drawn in such a way that both the circles are on either side of it, the tangent is called a **transverse common tangent**.

In the figure given alongside, AB and CD are two transverse common tangents which are always equal i.e. $AB = CD$.



According to the given statement, the figure will be as shown alongside :

In the figure, A and B are centres of the two circles with radii 6 cm and 2 cm. Also, MN is the transverse common tangent.

Hence, $AB = 10$ cm, $AM = 6$ cm and $BN = 2$ cm. Draw BC perpendicular to AM produced.

Clearly, BCMN is a rectangle, $MN = BC$ and $CM = BN = 2$ cm.

Now, $AC = AM + CM = 6$ cm + 2 cm = 8 cm


In right-angled triangle ABC,

$$\begin{aligned} AB^2 &= BC^2 + AC^2 \quad \Rightarrow \quad BC^2 = AB^2 - AC^2 \\ &= 10^2 - 8^2 = 100 - 64 = 36 \\ &\Rightarrow \quad BC = 6 \end{aligned}$$


\therefore **Length of transverse common tangent** = $MN = BC$

= **6 cm**

Ans.



6 In the figure, given alongside, $PQ = QR$, $\angle RQP = 68^\circ$, PC and QC are tangents to the circle with centre O. Calculate the values of (i) $\angle QOP$ (ii) $\angle QCP$.



Solution :

(i) In ΔPQR , $PQ = QR$

$$\Rightarrow \quad \angle QPR = \angle QRP = x \text{ (let)}$$

$$\therefore \quad x + x + 68^\circ = 180^\circ$$

$$\Rightarrow \quad x = 56^\circ$$

$$\text{i.e.} \quad \angle QRP = 56^\circ$$

Since, angle at centre is twice the angle at remaining circumference, therefore


$$\begin{aligned} \angle QOP &= 2\angle QRP = 2 \times 56^\circ \\ &= \mathbf{112^\circ} \end{aligned}$$

Ans.

(ii) In quadrilateral POQC,

$$\angle QOP = 112^\circ$$


[Proved above]



$$\begin{aligned} \angle OPC &= 90^\circ && \text{[Angle between radius and tangent]} \\ \angle OQC &= 90^\circ && \text{[Angle between radius and tangent]} \\ \text{and } \angle QOP + \angle OPC + \angle OQC + \angle QCP &= 360^\circ \\ \Rightarrow 112^\circ + 90^\circ + 90^\circ + \angle QCP &= 360^\circ \Rightarrow \angle QCP = 68^\circ \quad \text{Ans.} \end{aligned}$$


EXERCISE 18(A)

- The radius of a circle is 8 cm. Calculate the length of a tangent drawn to this circle from a point at a distance of 10 cm from its centre.
- In the given figure, O is the centre of the circle and AB is a tangent at B. If AB = 15 cm and AC = 7.5 cm, calculate the radius of the circle.




[2012]

- Two circles touch each other externally at point P. Q is a point on the common tangent through P. Prove that the tangents QA and QB are equal.



- Two circles touch each other internally. Show that the tangents drawn to the two circles from any point on the common tangent, are equal in length.
- Two circles of radii 5 cm and 3 cm are concentric. Calculate the length of a chord of the outer circle which touches the inner.
- Three circles touch each other externally. A triangle is formed when the centres of these circles are joined together. Find the radii of the circles, if the sides of the triangle formed are 6 cm, 8 cm and 9 cm.

- If the sides of a quadrilateral ABCD touch a circle, prove that :
 $AB + CD = BC + AD$.




Let AB, BC, CD and DA touch the circle at points P, Q, R and S respectively. Since, tangents to a circle from an exterior point are equal in length, therefore, $AP = AS$, $BP = BQ$, $DR = DS$ and $CR = CQ$.

On adding, we get :

$$\begin{aligned} AP + BP + DR + CR &= AS + BQ + DS + CQ \\ \Rightarrow AB + CD &= AD + BC. \end{aligned}$$


- If the sides of a parallelogram touch a circle (refer figure of Q. 7), prove that the parallelogram is a rhombus.
- From the given figure, prove that :
 $AP + BQ + CR = BP + CQ + AR$.



Also, show that :

$$AP + BQ + CR = \frac{1}{2} \times \text{Perimeter of } \triangle ABC.$$

- In the figure of Q. 9; if $AB = AC$ then prove that : $BQ = CQ$.
- Radii of two circles are 6.3 cm and 3.6 cm. State the distance between their centres if :
(i) they touch each other externally,
(ii) they touch each other internally.
- From a point P outside a circle, with centre O, tangents PA and PB are drawn. Prove that :
(i) $\angle AOP = \angle BOP$,
(ii) OP is the \perp bisector of chord AB.
- In the given figure, two circles touch each other externally at point P. AB is the direct common tangent of these circles. Prove that :




- tangent at point P bisects AB,
- angle APB = 90° .

14. Tangents AP and AQ are drawn to a circle, with centre O, from an exterior point A. Prove that :

$$\angle PAQ = 2\angle OPQ$$

15. Two parallel tangents of a circle meet a third tangent at points P and Q. Prove that PQ subtends a right angle at the centre.

16. ABC is a right angled triangle with AB = 12 cm and AC = 13 cm. A circle, with centre O, has been inscribed inside the triangle.




Calculate the value of x , the radius of the inscribed circle. [2005 type]

17. In a triangle ABC, the incircle (centre O) touches BC, CA and AB at points P, Q and R respectively. Calculate :


- (i) $\angle QOR$ (ii) $\angle QPR$;
given that $\angle A = 60^\circ$.

18. In the following figure, PQ and PR are tangents to the circle, with centre O. If $\angle QPR = 60^\circ$, calculate :

- (i) $\angle QOR$,
(ii) $\angle OQR$,
(iii) $\angle QSR$.



19. In the given figure, AB is the diameter of the circle, with centre O, and AT is the tangent. Calculate the numerical value of x .




20. In quadrilateral ABCD; angle D = 90° , BC = 38 cm and DC = 25 cm. A circle is inscribed in this quadrilateral which touches AB at point Q such that QB = 27 cm. Find the radius of the circle.

21. In the given figure, PT touches the circle with centre O at point R. Diameter SQ is produced to meet the tangent TR at P.


Given $\angle SPR = x^\circ$ and $\angle QRP = y^\circ$;
prove that :

- (i) $\angle ORS = y^\circ$
(ii) write an expression connecting x and y .




22. PT is a tangent to the circle at T. If $\angle ABC = 70^\circ$ and $\angle ACB = 50^\circ$; calculate :

- (i) $\angle CBT$
(ii) $\angle BAT$
(iii) $\angle APT$



23. In the given figure, O is the centre of the circumcircle ABC. Tangents at A and C intersect at P. Given angle AOB = 140° and angle APC = 80° ; find the angle BAC.



Theorem 12


If two chords of a circle intersect internally or externally then the product of the lengths of their segments is equal.

Case I : When chords intersect internally

Given : Chords AB and CD of a circle intersect each other at point P inside the circle

To Prove : $PA \times PB = PC \times PD$

Construction : Join AC and BD.



Proof :

Statement

In ΔAPC and ΔBPD ,

$$\angle A = \angle D$$

$$\angle C = \angle B$$

$$\Rightarrow \Delta APC \sim \Delta BPD$$

$$\Rightarrow \frac{PA}{PD} = \frac{PC}{PB}$$

$$\Rightarrow PA \times PB = PC \times PD$$

Reason

Angles of the same segment

”

By A.A. Postulate

Corresponding sides of similar Δs are proportional


Hence Proved.

Case II : When chords intersect externally.

Given : Chords AB and CD of a circle, when produced, intersect each other at point P outside the circle.

To Prove : $PA \times PB = PC \times PD$

Construction : Join AC and BD.



Proof :

Statement

In ΔPAC and ΔPDB ,

$$\angle A = \angle PDB$$

$$\angle C = \angle PBD$$

$$\Rightarrow \Delta PAC \sim \Delta PDB$$

$$\Rightarrow \frac{PA}{PD} = \frac{PC}{PB}$$

$$\Rightarrow PA \times PB = PC \times PD$$

Reason

Ext. angle of a cyclic quad. = Int. opp. angle

” ”

By A.A. Postulate

Corresponding sides of similar triangles are proportional

Hence Proved.

Theorem 13

The angle between a tangent and a chord through the point of contact is equal to an angle in the alternate segment.


Given : A circle with centre O. Tangent PQ touches the circle at point A. Through A, the point of contact, a chord AB is drawn.

To Prove : The angle between tangent PQ and chord AB through the point of contact A is equal to the angle in the alternate segment *i.e.* if C is point on major arc AB and D is a point on minor arc AB; then

$$\angle BAQ = \angle ACB$$

$$\text{and, } \angle BAP = \angle ADB$$

Construction : Draw the diameter AOR and join RB.



Proof :

Statement	Reason
In ΔABR ,	
$\angle ABR = 90^\circ$	Angle of a semi-circle
$\Rightarrow \angle ARB + \angle RAB = 90^\circ$I	
$\angle OAQ = 90^\circ$	Angle between the radius and the tangent
$\Rightarrow \angle RAB + \angle BAQ = 90^\circ$II	
$\therefore \angle ARB + \angle RAB = \angle RAB + \angle BAQ$	From I & II
$\Rightarrow \angle ARB = \angle BAQ$III	
But, $\angle ARB = \angle ACB$IV	Angles of the same segment
$\therefore \angle BAQ = \angle ACB$	From III & IV


Hence Proved

Now, $\angle BAP + \angle BAQ = 180^\circ$	Straight line angles
and $\angle ACB + \angle ADB = 180^\circ$	Opp. angles of cyclic quad.
$\Rightarrow \angle BAP + \angle BAQ = \angle ACB + \angle ADB$	
$\Rightarrow \angle BAP = \angle ADB$	As, $\angle BAQ = \angle ACB$

Hence Proved.

Theorem 14

If a chord and a tangent intersect externally, then the product of the lengths of the segments of the chord is equal to the square of the length of the tangent from the point of contact to the point of intersection.



Given : Chord AB and tangent TP of a circle intersect each other at point P outside the circle.

To Prove : $PA \times PB = PT^2$

Construction : Join TA and TB.


Proof :

Statement	Reason
In ΔPAT and ΔPTB ,	
$\angle PTB = \angle A$	Angle in the alternate segment
$\angle P = \angle P$	Common
$\Rightarrow \Delta PAT \sim \Delta PTB$	By A.A. Postulate
$\Rightarrow \frac{PA}{PT} = \frac{PT}{PB}$	Corresponding sides of similar Δ s are proportional
$\Rightarrow PA \times PB = PT^2$	

Hence Proved.


7 From each of the following figures, find the value of x .

(i)




PA = 4 cm, PB = 6 cm,
PC = 5 cm and PD = x cm

(ii)




PA = 2PB = 12 cm
PC = PD = x cm

(iii)



AB = 10 cm, PB = 6 cm,
CD = x cm and PD = 4 cm

(iv)



PA = 20 cm, PB = 16 cm
and BC = x cm.

Solution :

(i) Since, chords AB and CD intersect each other at point P, inside the circle :

$$\Rightarrow PA \times PB = PC \times PD$$

$$\Rightarrow 4 \text{ cm} \times 6 \text{ cm} = 5 \text{ cm} \times x \text{ cm}$$

$$\Rightarrow x = \frac{24}{5} \text{ cm} = 4.8 \text{ cm}$$

Ans.

(ii) Given, PA = 12 cm, PB = $\frac{12}{2}$ cm = 6 cm; chords AB and CD intersect each other at point P, inside the circle :

$$\Rightarrow PA \times PB = PC \times PD$$

$$\Rightarrow 12 \text{ cm} \times 6 \text{ cm} = x \text{ cm} \times x \text{ cm}$$

$$\Rightarrow x^2 = 72$$

$$\Rightarrow x = \sqrt{72} \text{ cm} = 6\sqrt{2} \text{ cm}$$

Ans.

(iii) Since, chords AB and CD intersect each other, externally at point P

$$\Rightarrow PA \times PB = PC \times PD$$

$$\Rightarrow 16 \times 6 = (4 + x) \times 4$$

$$PA = AB + PB = 10 + 6 = 16 \text{ cm}$$

$$PC = PD + CD = (4 + x) \text{ cm}$$

$$x = 20 \text{ cm}$$


Ans.

(iv) Since, chord BC and the tangent at point A intersect each other at point P, outside the circle :

$$\begin{aligned} \Rightarrow PA^2 &= PB \times PC \\ \Rightarrow (20)^2 &= 16 \times (16 + x) \quad [PC = PB + BC = (16 + x) \text{ cm}] \\ x &= 9 \text{ cm} \end{aligned}$$

Ans.

8 In the given figure, AB is the diameter and AC is the chord of a circle such that $\angle BAC = 30^\circ$. The tangent at C intersects AB produced at D. Prove that : $BC = BD$. [2004]



Solution :

$$\begin{aligned} \Rightarrow \angle BAC &= 30^\circ \\ \Rightarrow \angle BCD &= 30^\circ \quad [\text{Angle of alt. segment}] \\ \angle ACB &= 90^\circ \quad [\text{Angle of semi-circle}] \end{aligned}$$

In ΔACB ,

$$\angle CBD = 30^\circ + 90^\circ = 120^\circ$$


In ΔBCD ,

$$\angle BDC = 180^\circ - (120^\circ + 30^\circ) = 30^\circ$$

Since, $\angle BCD = \angle BDC$

$$\therefore BC = BD$$

Hence Proved.




[Ext. \angle = Sum of int. opp. \angle s]

[Each 30°]

[Sides opp. to equal angles]

9 In the given figure, PT touches a circle with centre O at R. Diameter SQ when produced meets PT at P. If $\angle SPR = x^\circ$ and $\angle QRP = y^\circ$, show that $x^\circ + 2y^\circ = 90^\circ$. [2006]



Solution :


$$\begin{aligned} \angle RSQ &= y^\circ \quad [\text{Angle in alt. segment}] \\ \text{In } \Delta PQR, \angle RQS &= x^\circ + y^\circ \quad [\text{Ext. } \angle \text{ of a } \Delta = \text{Sum of its int. opp. } \angle\text{s}] \\ \text{In } \Delta QRS, \angle QRS &= 90^\circ \quad [\text{Angle of semi-circle}] \\ \Rightarrow \angle RSQ + \angle RQS &= 90^\circ \\ \Rightarrow y^\circ + (x^\circ + y^\circ) &= 90^\circ \\ \Rightarrow x^\circ + 2y^\circ &= 90^\circ \end{aligned}$$

Hence the required result.

Alternative method :

$$\begin{aligned} \angle S &= y^\circ \quad [\text{Angle in alt. segment}] \\ \angle QRS &= 90^\circ \quad [\text{Angle of semi-circle}] \\ \text{In } \Delta PRS, \angle P + \angle PRS + \angle S &= 180^\circ \quad [?] \\ \Rightarrow x^\circ + (90 + y^\circ) + y^\circ &= 180^\circ \\ \Rightarrow x^\circ + 2y^\circ &= 90^\circ \end{aligned}$$


Hence the required result.



10 In the given figure, PM is a tangent to the circle and PA = AM. Prove that :

(i) ΔPMB is isosceles

(ii) $PA \times PB = MB^2$ [2005]



Solution :

(i) In ΔPAM , $PA = AM$

$\Rightarrow \angle APM = \angle AMP = x$ (suppose)
[\angle s opp. to equal sides]

Also, $\angle ABM = \angle AMP = x$
[Angle of alternate segment]

$\Rightarrow \angle APM = \angle ABM = x \Rightarrow MB = MP$

$\therefore \Delta PMB$ is isosceles.


Hence Proved.

(ii) Since the chord AB produced and the tangent at point M intersect each other externally at point P.

$\therefore PA \times PB = MP^2$


$\Rightarrow PA \times PB = MB^2$ [$\because MB = MP$, proved above]

Hence Proved.



11 Two circles touch each other internally at point P. QPR is the tangent at P; segments PAB and PCD meet circles at points A, B, C and D as shown in the figure.

Show that chord AC is parallel to chord BD.



Solution :

Join AC and BD.

For the smaller circle, PA is the chord and QPR is the tangent at point P

$\Rightarrow \angle QPA = \angle ACP$ I [Angle of alternate segment]

For the bigger circle, PB is the chord and QPR is the tangent at point P

$\Rightarrow \angle QPB = \angle BDP$ II [Angle of alternate segment]


From I and II, we get :

$\angle ACP = \angle BDP$ As, $\angle QPA = \angle QPB$

But these are corresponding angles and whenever the corresponding angles are equal, the lines are parallel.

$\Rightarrow AC$ is parallel to BD .

Hence Proved.



12 In a right triangle ABC, a circle with AB as diameter is drawn to intersect the hypotenuse AC in P. Prove that the tangent at P, bisects the side BC.

Solution :

According to the given statement, the figure will be as drawn alongside.

Let the tangent at point P to the circle with AB diameter meets side BC at point Q.

To Prove : CQ = BQ

Construction : Join PB

Proof : Since, angle of semi-circle is 90°

$$\Rightarrow \angle APB = 90^\circ$$

$$\Rightarrow \angle BPC = 90^\circ$$

$$\Rightarrow \angle BPQ + \angle CPQ = 90^\circ \quad \dots I$$

$$\text{In } \triangle ABC, \quad \angle ABC = 90^\circ$$

$$\Rightarrow \angle A + \angle C = 90^\circ \quad \dots II$$

$$\text{Also,} \quad \angle BPQ = \angle A \quad \dots III$$

[Angle in the alternate segment]

$$\Rightarrow \angle A + \angle CPQ = 90^\circ \quad \dots IV$$

[From I and III]

$$\Rightarrow \angle A + \angle CPQ = \angle A + \angle C$$

[From II to IV]


$$\Rightarrow \angle CPQ = \angle C$$

$$\Rightarrow PQ = CQ$$

$$\text{But,} \quad PQ = BQ \quad [\text{Tangents to the circle from the ext. point Q}]$$

$$\therefore \quad CQ = BQ$$

Hence Proved.



[APC is a straight line]

13 ABC is an isosceles triangle with $AB = AC$. A circle through B touches side AC at its middle point D and intersects side AB in point P. Show that : $AB = 4 \times AP$.

Solution :

According to the given statement, the figure will be as drawn below :

Since, AD is tangent to the circle and BP is its chord intersecting the tangent AD at point A.

$$\therefore \quad AD^2 = AP \times AB$$


Since, D is mid-point of AC

$$\therefore \quad AD = \frac{1}{2} AC = \frac{1}{2} AB \quad \text{As, } AB = AC$$


$$\therefore \quad AD^2 = \frac{1}{4} AB^2$$

$$\Rightarrow AP \times AB = \frac{1}{4} AB^2 \quad [\because AD^2 = AP \times AB]$$

$$\Rightarrow AP = \frac{1}{4} AB \quad \text{and} \quad AB = 4 \times AP \quad \text{Hence the required result.}$$




14 The given figure shows an isosceles triangle ABC inscribed in a circle such that $AB = AC$. If DAE is a tangent to the circle at point A, prove that DE is parallel to BC.



Solution :

Since, the angle between a tangent and a chord through the point of contact is equal to an angle in the alternate segment,



$\therefore \angle DAB = \angle ACB \quad \dots I \quad [\text{DAE is a tangent and AB is a chord}]$

Since, $AB = AC \quad [\text{Given}]$

$\therefore \angle ACB = \angle ABC \quad \dots II \quad [\text{Angles opp. to equal sides of a } \Delta \text{ are equal}]$

$\Rightarrow \angle DAB = \angle ABC \quad \dots II \quad [\text{From I and II}]$

But these are alternate angles and whenever alternate angles are equal, the lines are parallel.

\therefore **DAE is parallel to BC**

Hence Proved.

15 AB is the diameter of a circle with centre O. A line PQ touches the given circle at point R and cuts the tangents to the circle through A and B at points P and Q respectively. Prove that : $\angle POQ = 90^\circ$.

Solution :

According to the given statement, the figure will be as shown alongside :

Join OR.

Now, show that $\Delta OBQ \equiv \Delta ORQ$

$\Rightarrow \angle BOQ = \angle ROQ = x \text{ (let)}$

Then, show that $\Delta OAP \equiv \Delta ORP$

$\Rightarrow \angle AOP = \angle ROP = y \text{ (let)}$

Since, AOB is a straight line, therefore $\angle AOB = 180^\circ$



$\Rightarrow x + x + y + y = 180^\circ$

i.e. $2x + 2y = 180^\circ$

$\Rightarrow x + y = 90^\circ$


$\Rightarrow \angle POQ = 90^\circ$

Hence Proved.




EXERCISE 18(B)


1. (i) In the given figure,
 $3 \times CP = PD = 9$ cm
 and $AP = 4.5$ cm.
 Find BP.



- (ii) In the given figure,
 $5 \times PA = 3 \times AB = 30$ cm
 and $PC = 4$ cm.
 Find CD.




- (iii) In the given figure,
 tangent $PT = 12.5$ cm
 and $PA = 10$ cm;
 find AB.




2. In the given figure, diameter AB and chord CD of a circle meet at P. PT is a tangent to the circle at T. $CD = 7.8$ cm, $PD = 5$ cm, $PB = 4$ cm. Find :

- (i) AB. (ii) the length of tangent PT. [2014]




3. In the following figure, PQ is the tangent to the circle at A, DB is the diameter and O is the centre of the circle. If $\angle ADB = 30^\circ$ and $\angle CBD = 60^\circ$, calculate :

- (i) $\angle QAB$,
 (ii) $\angle PAD$,
 (iii) $\angle CDB$.



4. If PQ is a tangent to the circle at R; calculate :

- (i) $\angle PRS$,
 (ii) $\angle ROT$.




Given O is the centre of the circle and angle $TRQ = 30^\circ$.


5. AB is the diameter and AC is a chord of a circle with centre O such that angle $BAC = 30^\circ$.

The tangent to the circle at C intersects AB produced in D. Show that : $BC = BD$.

6. Tangent at P to the circumcircle of triangle PQR is drawn. If this tangent is parallel to side, QR show that ΔPQR is isosceles.
 7. Two circles with centres O and O' are drawn to intersect each other at points A and B. Centre O of one circle lies on the circumference of the other circle and CD is drawn tangent to the circle with centre O' at A. Prove that OA bisects angle BAC.




8. Two circles touch each other internally at a point P. A chord AB of the bigger circle intersects the other circle in C and D. Prove that : $\angle CPA = \angle DPB$.



Draw tangent at point P.

9. In a cyclic quadrilateral ABCD, the diagonal AC bisects the angle BCD. Prove that the diagonal BD is parallel to the tangent to the circle at point A.
 10. In the figure, ABCD is a cyclic quadrilateral with $BC = CD$. TC is tangent to the circle at point C and DC is produced to point G. If $\angle BCG = 108^\circ$ and O is the centre of the circle, find :

- (i) angle BCT
 (ii) angle DOC




11. Two circles intersect each other at points A and B. A straight line PAQ cuts the circles at P and Q. If the tangents at P and Q intersect


at point T; show that the points P, B, Q and T are concyclic.

12. In the figure; PA is a tangent to the circle, PBC is secant and AD bisects angle BAC. Show that triangle PAD is an isosceles triangle. Also, show that :

$$\angle CAD = \frac{1}{2} [\angle PBA - \angle PAB]$$




13. Two circles intersect each other at points A and B. Their common tangent touches the circles at points P and Q as shown in the figure. Show that the angles PAQ and PBQ are supplementary.



[2000]


14. In the figure, chords AE and BC intersect each other at point D.

- (i) If $\angle CDE = 90^\circ$,
 $AB = 5$ cm,
 $BD = 4$ cm and
 $CD = 9$ cm;
 find DE.




- (ii) If $AD = BD$, show that : $AE = BC$.

15. Circles with centres P and Q intersect at points A and B as shown in the figure. CBD is a line segment and EBM is tangent to the circle, with centre Q, at point B. If the circles are congruent; show that : $CE = BD$.



16. In the adjoining figure, O is the centre of the circle and AB is a tangent to it at point B. $\angle BDC = 65^\circ$. Find $\angle BAO$.



[2010]

EXERCISE 18(C)


- Prove that, of any two chords of a circle, the greater chord is nearer to the centre.
- OABC is a rhombus whose three vertices A, B and C lie on a circle with centre O.
 - If the radius of the circle is 10 cm, find the area of the rhombus.
 - If the area of the rhombus is $32\sqrt{3}$ cm² find the radius of the circle.
- Two circles with centres A and B, and radii 5 cm and 3 cm, touch each other internally. If the perpendicular bisector of the segment AB meets the bigger circle in P and Q; find the length of PQ.

- Two chords AB and AC of a circle are equal. Prove that the centre of the circle lies on the bisector of angle BAC.

Show that the bisector of angle BAC is a perpendicular bisector of chord BC

- The diameter and a chord of a circle have a common end-point. If the length of the diameter is 20 cm and the length of the chord is 12 cm, how far is the chord from the centre of the circle ?
- ABCD is a cyclic quadrilateral in which BC is parallel to AD, angle ADC = 110° and angle BAC = 50° . Find angle DAC and angle DCA.

7. In the given figure, C and D are points on the semi-circle described on AB as diameter. Given angle $\angle BAD = 70^\circ$ and angle $\angle DBC = 30^\circ$, calculate angle BDC.




8. In cyclic quadrilateral ABCD, $\angle A = 3 \angle C$ and $\angle D = 5 \angle B$. Find the measure of each angle of the quadrilateral.

9. Show that the circle drawn on any one of the equal sides of an isosceles triangle as diameter bisects the base.

10. Bisectors of vertex angles A, B and C of a triangle ABC intersect its circumcircle at the points D, E and F respectively. Prove

that angle $\angle EDF = 90^\circ - \frac{1}{2} \angle A$.


11. In the figure, AB is the chord of a circle with centre O and DOC is a line segment such that $BC = DO$. If $\angle C = 20^\circ$, find angle AOD.



12. Prove that the perimeter of a right triangle is equal to the sum of the diameter of its incircle and twice the diameter of its circumcircle.

13. P is the mid-point of an arc APB of a circle. Prove that the tangent drawn at P will be parallel to the chord AB.


14. In the given figure, MN is the common chord of two intersecting circles and AB is their common tangent.




Prove that the line NM produced bisects AB at P.

15. In the given figure, ABCD is a cyclic quadrilateral, PQ is tangent to the circle at point C and BD is its diameter. If $\angle DCQ = 40^\circ$ and $\angle ABD = 60^\circ$, find :

- (i) $\angle DBC$
(ii) $\angle BCP$
(iii) $\angle ADB$



16. The given figure shows a circle with centre O and BCD is tangent to it at C. Show that : $\angle ACD + \angle BAC = 90^\circ$.




17. ABC is a right triangle with angle $B = 90^\circ$. A circle with BC as diameter meets hypotenuse AC at point D. Prove that :

- (i) $AC \times AD = AB^2$
(ii) $BD^2 = AD \times DC$.

18. In the given figure, $AC = AE$.

Show that :

- (i) $CP = EP$
(ii) $BP = DP$.




19. ABCDE is a cyclic pentagon with centre of its circumcircle at point O such that $AB = BC = CD$ and angle $\angle ABC = 120^\circ$.

Calculate :

- (i) $\angle BEC$ (ii) $\angle BED$

20. In the given figure, O is the centre of the circle. Tangents at A and B meet at C. If $\angle ACO = 30^\circ$, find :


- (i) $\angle BCO$
(ii) $\angle AOB$
(iii) $\angle APB$



[2011]

21. ABC is a triangle with $AB = 10$ cm, $BC = 8$ cm and $AC = 6$ cm (not drawn to scale). Three circles are drawn touching each

other with the vertices as their centres. Find the radii of the three circles.



[2011]


22. In a square ABCD, its diagonals AC and BD intersect each other at point O. The bisector of angle DAO meets BD at point M and the bisector of angle ABD meets AC at N and AM at L. Show that :

(i) $\angle ONL + \angle OML = 180^\circ$

(ii) $\angle BAM = \angle BMA$

(iii) ALOB is a cyclic quadrilateral.

23. The given figure shows a semi-circle with centre O and diameter PQ. If $PA = AB$ and $\angle BCQ = 140^\circ$; find measures of angles PAB and AQB. Also, show that AO is parallel to BQ.




24. The given figure shows a circle with centre O such that chord RS is parallel to chord QT, angle PRT = 20° and angle POQ = 100° . Calculate :

(i) angle QTR

(ii) angle QRP

(iii) angle QRS

(iv) angle STR




25. In the given figure, PAT is tangent to the circle with centre O, at point A on its circumference and is parallel to chord BC. If CDQ is a line segment, show that :

(i) $\angle BAP = \angle ADQ$

(ii) $\angle AOB = 2\angle ADQ$

(iii) $\angle ADQ = \angle ADB$.



26. AB is a line segment and M is its mid-point. Three semi-circles are drawn with AM, MB

and AB as diameters on the same side of the line AB. A circle with radius r unit is drawn so that it touches all the three semi-circles. Show that : $AB = 6 \times r$


27. TA and TB are tangents to a circle with centre O from an external point T. OT intersects the circle at point P. Prove that AP bisects the angle TAB.

28. Two circles intersect in points P and Q. A secant passing through P intersects the circles in A and B respectively. Tangents to the circles at A and B intersect at T. Prove that A, Q, B and T lie on a circle.

29. Prove that any four vertices of a regular pentagon are concyclic (lie on the same circle).


30. Chords AB and CD of a circle when extended meet at point X. Given $AB = 4$ cm, $BX = 6$ cm and $XD = 5$ cm, calculate the length of CD. [2000]

31. In the given figure, find TP if $AT = 16$ cm and $AB = 12$ cm.




[2007]

32. In the following figure, a circle is inscribed in the quadrilateral ABCD.




If $BC = 38$ cm, $QB = 27$ cm, $DC = 25$ cm and that AD is perpendicular to DC, find the radius of the circle.

33. In the given figure, XY is the diameter of the circle and PQ is a tangent to the circle at Y.




If $\angle AXB = 50^\circ$ and $\angle ABX = 70^\circ$, find $\angle BAY$ and $\angle APY$.

34. In the given figure, QAP is the tangent at point A and PBD is a straight line.




If $\angle ACB = 36^\circ$ and $\angle APB = 42^\circ$, find :

- (i) $\angle BAP$ (ii) $\angle ABD$
 (iii) $\angle QAD$ (iv) $\angle BCD$
35. In the given figure, AB is the diameter. The tangent at C meets AB produced at Q.




- (i) $\angle CBA$ (ii) $\angle CQB$ **[2006]**

36. In the given figure, O is the centre of the circle. The tangents at B and D intersect each other at point P.
- If AB is parallel to CD and $\angle ABC = 55^\circ$, find :



- (i) $\angle BOD$ (ii) $\angle BPD$

37. In the following figure, $PQ = QR$, $\angle RQP = 68^\circ$, PC and CQ are tangents to the circle with centre O.




Calculate the values of :

- (i) $\angle QOP$ (ii) $\angle QCP$ **[2008]**


38. In two concentric circles, prove that all chords of the outer circle, which touch the inner circle, are of equal length.

39. In the figure, given below, AC is a transverse common tangent to two circles with centres P and Q and of radii 6 cm and 3 cm respectively.



Given that $AB = 8$ cm, calculate PQ.


40. In the figure, given below, O is the centre of the circumcircle of triangle XYZ.




Tangents at X and Y intersect at point T. Given $\angle XTY = 80^\circ$ and $\angle XOZ = 140^\circ$, calculate the value of $\angle ZXY$.

41. In the given figure, AE and BC intersect each other at point D.

If $\angle CDE = 90^\circ$, $AB = 5$ cm, $BD = 4$ cm and $CD = 9$ cm, find AE.



42. In the given circle with centre O, $\angle ABC = 100^\circ$, $\angle ACD = 40^\circ$ and CT is a tangent to the circle at C. Find $\angle ADC$ and $\angle DCT$.



[2013]

43. In the figure given below, O is the centre of the circle and SP is a tangent. If $\angle SRT = 65^\circ$, find the values of x, y and z. **[2015]**

